



## EU-TYPE EXAMINATION CERTIFICATE



|   |   |
|---|---|
| <b>NOTIFIED BODY NUMBER</b>   | <b>0370 – LGAI TECHNOLOGICAL CENTER (APPLUS)</b>  |
| <b>APPLICANT</b>  | <b>Fujian Small Forest Technology Co., Ltd. Jinjiang Branch</b><br>No. 68 Houmao Maofu Road, Fengze District, Quanzhou City, Fujian Province                        |
| <b>MANUFACTURER</b>   | <b>Fujian Small Forest Technology Co., Ltd. Jinjiang Branch</b><br>Jinshi Road, Economic Development Zone (Wuliyuan), Jinjiang City, Quanzhou City, Fujian Province |
| <b>APPLICABLE REGULATION TO GIVE CONFORMITY:<br/>REGULATION (EU) 2016/425 PERSONAL PROTECTIVE EQUIPMENT</b>   |   |
| <b>CONFORMITY ASSESSMENT PROCEDURE</b>  | Module B<br>EU TYPE EXAMINATION   |
| <b>IDENTIFICATION OF THE PPE (TYPE NUMBER)</b>  | Ref.: SLP02<br>Filtering half mask  |
| <b>PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b>   | <b>FFP2 NR</b>  |
| <b>HARMONISED STANDARDS</b>   | EN 149:2001 + A1:2009 Respiratory protective devices. Filtering half masks to protect against particles. Requirements, testing, marking                             |
| <b>ISSUE DATE</b>   | <b>14/09/2020</b>   |
| <b>VALIDITY UNTIL</b>   | <b>14/09/2025</b>   |
| This certificate will remain valid for 5 years as long as the indicated product is not modified and fulfills the essential requirements of health and safety established in (EU) Regulation 2016/425. To ensure such compliance, this certificate must be accompanied by the documentation corresponding to the Conformity Assessment to type according to C2, D (carried out by a Notified Body according to the established frequency). |   |



This document is not valid without its technical annex, whose number coincides with the number of certificate.

You can check the validity of this certificate into our website at:

[www.appluslaboratories.com/certified\\_products](http://www.appluslaboratories.com/certified_products)


## TECHNICAL ANNEX

**0370-4387-PPE/B**

### I. REFERENCES INCLUDED IN THIS CERTIFICATE

|   |   |
|---|---|
| <b>BRAND</b>  | Small Forest  |
| <b>IDENTIFICATION OF THE PPE (TYPE NUMBER)</b>          | Ref.: SLP02<br>Filtering half mask  |
| <b>PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b> | FFP2 NR   |
| <b>TEST REPORT</b>                                      | PTC20080100101C-EN01V01 issued<br>by Precise Testing & Certification<br>(Guangdong) Co. Ltd. (PTC). |

## CONFORMITY TO TYPE CERTIFICATE



|   |  |
|---|--|
| <b>NOTIFIED BODY NUMBER</b>   | <b>0370 – LGAI TECHNOLOGICAL CENTER (APPLUS)</b>   |
| <b>APPLICANT</b>  | <b>Fujian Small Forest Technology Co., Ltd. Jinjiang Branch</b><br>No. 68 Houmao Maofu Road, Fengze District, Quanzhou City, Fujian Province                                 |
| <b>MANUFACTURER</b>   | <b>Fujian Small Forest Technology Co., Ltd. Jinjiang Branch</b><br>No. 124, Jinshi Road, Economic Development Zone (Wuliyuan), Jinjiang City, Quanzhou City, Fujian Province |
| APPLICABLE REGULATION TO GIVE CONFORMITY:<br>REGULATION (EU) 2016/425 PERSONAL PROTECTIVE EQUIPMENT   |  |
| <b>CONFORMITY ASSESSMENT PROCEDURE TO TYPE</b>  | Module <b>C2</b><br>BASED ON INTERNAL PRODUCTION CONTROL PLUS SUPERVISED CONTROL OF PRODUCTS AT ALEATORY INTERVALS   |
| <b>IDENTIFICATION OF THE PPE (TYPE NUMBER)</b>  | Ref.: SLP02<br>Filtering half mask   |
| <b>PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b>   | <b>FFP2 NR</b>   |
| <b>ISSUE DATE</b>   | <b>10/11/2020</b>  |
| <b>VALIDITY UNTIL</b>   | <b>10/11/2021</b>  |
| This certificate will remain in force for 1 year as long as the conditions established in the EU Type certificate referenced in the annex are not modified. |  |



This document is not valid without its technical annex, whose number coincides with the number of certificate.

You can check the validity of this certificate into our website at:

[www.appluslaboratories.com/certified\\_products](http://www.appluslaboratories.com/certified_products)



## TECHNICAL ANNEX

**0370-4749-PPE/C2**


### I. REFERENCES INCLUDED IN THIS CERTIFICATE

|   |   |
|---|---|
| <b>NR.EU TYPE EXAMINATION CERTIFICATE</b>               | 0370-4387-PPE/B   |
| <b>ISSUED BY</b>  | LGAI TECHNOLOGICAL CENTER S.A.<br>(APPLUS) / Notified body nr. 0370).                       |
| <b>ISSUE DATE</b>                                       | 14/09/2020  |
| <b>VALIDITY UNTIL</b>                                   | 14/09/2025  |
| <b>BRAND</b>  | Small Forest  |
| <b>IDENTIFICATION OF THE PPE (TYPE NUMBER)</b>          | Ref.: SLP02<br>Filtering half mask  |
| <b>PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b> | FFP2 NR   |
| <b>CONFORMITY TO TYPE TEST REPORT</b>                   | PTC20091705802C-EN01 issued by Precise Testing & Certification (Guangdong) Co., Ltd. (PTC). |

## CERTIFICADO DE EXAME DE TIPO UE-TIPO



|   |  |
|---|--|
| <b>NÚMERO DO ORGANISMO NOTIFICADO</b>   | <b>0370 - CENTRO TECNOLÓGICO DO LGAI (APPLUS)</b>  |
| <b>APLICANTE</b>  | <b>Fujian Small Forest Technology Co., Ltd. Ramo Jinjiang</b><br>Nº 68 Houmao Maofu Road, Distrito de Fengze, Cidade de Quanzhou,<br>Província de Fujian                           |
| <b>MANUFACTURADOR</b>   | <b>Fujian Small Forest Technology Co., Ltd. Ramo Jinjiang</b><br>Jinshi Road, Economic Development Zone (Wuliyuan),<br>Cidade de Jinjiang, Cidade de Quanzhou, Província de Fujian |
| REGULAMENTO APLICÁVEL PARA DAR CONFORMIDADE:<br>REGULAMENTO (UE) 2016/425 EQUIPAMENTO DE PROTECÇÃO<br>PESSOAL   |  |
| <b>AVALIAÇÃO DE CONFORMIDADE PROCEDIMENTO</b>   | Módulo B<br>EXAME DE TIPO EU   |
| <b>IDENTIFICAÇÃO DO PPE (NÚMERO DO TIPO)</b>  | Ref.: SLP02<br>Meias-máscaras filtrantes   |
| <b>NÍVEL DE DESEMPENHO OU CLASSE DE PROTECÇÃO DO PPE</b>  | FFP2 NR  |
| <b>NORMAS HARMONIZADAS</b>  | EN 149:2001 + A1:2009 Dispositivos de protecção respiratória.<br>Meias-máscaras filtrantes para protecção contra partículas.<br>Requisitos, testes, marcação                       |
| <b>DATA DE EDIÇÃO</b>   | <b>14/09/2020</b>  |
| <b>VALIDADE UNTIL</b>   | <b>14/09/2025</b>  |
| Este certificado permanecerá válido durante 5 anos enquanto o produto indicado não for modificado e cumprir os requisitos essenciais de saúde e segurança estabelecidos no Regulamento (UE) 2016/425. Para assegurar essa conformidade, este certificado deve ser acompanhado da documentação correspondente à Avaliação de Conformidade de acordo com o tipo C2, D (realizada por um Organismo Notificado de acordo com o Regulamento (UE) 2016/425). para a frequência estabelecida). |  |



Este documento não é válido sem o seu anexo técnico, cujo número coincide com o número do certificado.

Pode verificar a validade deste certificado no nosso sítio Web em:

[www.appluslaboratories.com/certified\\_products](http://www.appluslaboratories.com/certified_products)


## ANEXO TÉCNICO

0370-4387-PPE/B


### I. REFERÊNCIAS INCLUÍDAS NESTE CERTIFICADO

|  |   |
|--|---|
| <b>MARCA</b>   | Floresta pequena  |
| <b>IDENTIFICAÇÃO DO PPE (NÚMERO DO TIPO)</b>               | Ref.: SLP02<br>Meias-máscaras filtrantes  |
| <b>NÍVEL DE DESEMPENHO OU CLASSE DE PROTECÇÃO DE O EPI</b> | FFP2 NR   |
| <b>RELATÓRIO DE TESTE</b>                                  | PTC20080100101C-EN01V01 emitido por Precise Testing & Certification (Guangdong) Co. Ltd. (PTC). |

## CONFORMIDADE COM O CERTIFICADO DE TIPO



|   |   |
|---|---|
| <b>NÚMERO DO ORGANISMO NOTIFICADO</b>   | <b>0370 - CENTRO TECNOLÓGICO DO LGAI (APPLUS)</b>   |
| <b>APLICANTE</b>  | <b>Fujian Small Forest Technology Co., Ltd. Ramo Jinjiang</b><br>Nº 68 Houmao Maofu Road, Distrito de Fengze, Cidade de Quanzhou,<br>Província de Fujian  |
| <b>MANUFACTURADOR</b>   | <b>Fujian Small Forest Technology Co., Ltd. Ramo Jinjiang</b><br>No. 124, Jinshi Road, Zona de Desenvolvimento Económico (Wuliyuan), Cidade de Jinjiang, Cidade de Quanzhou,<br>Província de Fujian |
| <b>REGULAMENTO APLICÁVEL PARA DAR CONFORMIDADE:<br/>REGULAMENTO (EU) 2016/425 EQUIPAMENTO DE PROTECÇÃO PESSOAL</b>  |   |
| <b>PROCEDIMENTO DE AVALIAÇÃO DE CONFORMIDADE COM O TIPO</b>   | <b>Módulo C2</b><br>BASEADO NO CONTROLO INTERNO DA PRODUÇÃO MAIS O CONTROLO SUPERVISIONADO DOS PRODUTOS EM INTERVALOS ALEATÓRIOS  |
| <b>IDENTIFICAÇÃO DO PPE (NÚMERO DO TIPO)</b>  | Ref.: SLP02<br>Meias-máscaras filtrantes  |
| <b>NÍVEL DE DESEMPENHO OU CLASSE DE PROTECÇÃO DO PPE</b>  | <b>FFP2 NR</b>  |
| <b>DATA DE EDIÇÃO</b>   | <b>10/11/2020</b>   |
| <b>VALIDADE UNTIL</b>   | <b>10/11/2021</b>   |
| Este certificado permanecerá em vigor durante 1 ano enquanto as condições estabelecidas no tipo UE certificado referenciado no anexo não são modificados. |   |



Este documento não é válido sem o seu anexo técnico, cujo número coincide com o número do certificado.

Pode verificar a validade deste certificado no nosso sítio Web em:

[www.appluslaboratories.com/certified\\_products](http://www.appluslaboratories.com/certified_products)

## ANEXO TÉCNICO

0370-4749-PPE/C2

### I.REFERÊNCIAS INCLUÍDAS NO PRESENTE CERTIFICADO

|  |  |
|--|--|
| <b>NR.EU CERTIFICADO DE EXAME DE TIPO</b>                | 0370-4387-PPE/B  |
| <b>ISSUIDO POR</b>                                       | CENTRO TECNOLÓGICO LGAI S.A.<br>(APPLUS) / Organismo Notificado n.º<br>0370).                  |
| <b>DATA DE EDIÇÃO</b>                                    | 14/09/2020   |
| <b>VALIDADE UNTIL</b>                                    | 14/09/2025   |
| <b>MARCA</b>   | Floresta pequena   |
| <b>IDENTIFICAÇÃO DO PPE (NÚMERO DO TIPO)</b>             | Ref.: SLP02<br>Meias-máscaras filtrantes   |
| <b>NÍVEL DE DESEMPENHO OU CLASSE DE PROTECÇÃO DO EPI</b> | FFP2 NR  |
| <b>CONFORMIDADE COM O RELATÓRIO DE ENSAIO DE TIPO</b>    | PTC20091705802C-EN01 emitido pela Precise Testing & Certification (Guangdong) Co., Ltd. (PTC). |